CATALOGUS

MATERIAE MEDICAE

CULLEN

C. 1770

19250/P

CULLEN, W

12

Catalogus Medicamentorum
Per G. Cullen
Proff

19250/P

CATALOGUS

MATERIÆ MEDICÆ.

c 1770

WELLCOME
HISTORICAL
MEDICAL
LIBRARY

MEDICAMENTA agunt in

Solida	Simplicia	Nutrientia	I.
		Adstringentia	II.
		Emollientia	III.
	Viva	Stimulantia	IV.
		Sedativa	V.
		Antispasmodica	VI.
Fluida	*Alterantia*	Attenuantia	VII.
		Inspissantia	VIII.
		Demulcentia	IX.
		Antacida	X.
		Antalkalina	XI.
		Antiseptica	XII.
	Evacuantia	Errhina	XIII.
		Sialagoga	XIV.
		Expectorantia	XV.
		Emetica	XVI.
		Cathartica	XVII.
		Diuretica	XVIII.
		Diaphoretica	XIX.
		Menagoga	XX.

N. B. after the letters of the
alphabet. The Doctor
means a general term to be
inserted, as The Fruit.
Acidodulc. betwixt, a — &
b. on the other side —
as in the margin

I. NUTRIENTIA.

I. Ex VEGETABILIBUS.

a. *Fruct: acido dulces*

Cerаſa. *Cherry's*
Mala Armeniaca. *Apricocks*
Mala Perſica. — *Peach's*
Pruna. — *Prunes*

Mala Hortenſia. *Apples*
Pyra. — *Pears*

Aurantia. *The oranges, Lemons.*

Fraga. *Strawberries*
Rubi Idæi fructus. *Rasberries*

Uvæ Vitis. *Grapes*
Ribeſia. *Currains*
Uvæ criſpæ. *Gooseberry's*

Uvæ paſſæ. *Raisons (dried Grapes)*
Dactyli. *Dates* } *more astring! & dearer than ye Raisons. The Tree on which they grow (Palm)*
Ficus. *Figs possessed of much Sweetness, mu... very nutritious, used for dolic...*

Cucum-

b. Cuccurbitae: or Gourd Kind

Cucumeres. Cucumber } the Greater Cold Seeds
Melones. Melon } liable to ferment:
Pepones. Pompion } affords little nutriment

3: c. Esculent: or Oleracei of Linneus

Atriplex. Orache used before ye other 2 were known
Beta. Beets instead of orache —
Spinacia. Spinach chiefly used for Broths

Lactuca Aguina. Lamb Lettuce used as pot herb

Braſſica. Cabbage very apt to pro: flatus
Naſturtium. Cress virtues of the Antiscor. & Pap:

Cichorium. Succory 1 afford one of ye lesser Cold seeds
Dens Leonis. Dandelion
Endivia. Endive 1 Cold Seeds Lesser
Lactuca. Lettuce 1 one of ye Lesser Cold seeds
Petroslin — 1 one of Do

Celeri. + Smallage Purslain &c.
one of ye opening roots — & the Ordy Lesser hot Seeds

Aſparagus. one of ye opening roots

Cinara. { artichoke between herbs & fruit
formerly accounted valuable
sold as ye pine apples: in Harry 8th time }

d.

Fungi. Mushroom, 3 kinds. Triffil, Murrs
& common mushroom —
the common a prod: of ye Country only

e. Radic. Esculent —

Raphanus. Radish, is deprived of its acrimony by boiling

Rapum. Turnips, watry weak food. liable to flatu

Daucus. Carrot. sweet. mucilage, no sugar obtaind. by margraves expt.

Paſtinaca. more sweet, more mucilage q.ᵗʸ of graind su

Siſarum. Skirret. mucilag. a good pro.ⁿ of sugar ob

Scorzonera. } chiefly belong to the class of y.ᵉ semiflo

Tragopogon. } easy deprived of their acrimony. le flaulent, less acescent, more nourish than the turnip

Battatas. Potatoes, very respect.ᵉ good nourishing foo

Porrum. Leek retain their acrimony longer when boild than onion

Cepa. Onions more agreeable to y.ᵉ stom: & easy d

Allium. Garlic. Becomes mild by boiling, pretty nutrit

f. Semin Farinac: & Esculent.

Avena. Oats very nourishing liable to produce heartb

Hordeum. Barley more weak. nourish.ᵗ & lighter

Secale. Rice, at least Equal with the Wheat in all

Milium. Millet. Tho' a small grain yet very nouris

Triticum. Wheat the most perfect of all the Culmife

Oryza. Rise, w. right prepared, very good nouri more acescent, purgative, more sensibly acid

Mayz. Idem, of a more firm hard texture, & affords a compact Gluey subs. nutritious

Fagopyrum. Buck-Wheat more Gluey than the r. attended with all els other qual

Sago.

Sago. { to be taken in before the seeds. The Pith of the Palm Tree a vessel in a fine filamentous texture prepared for use. very nourishing

Salep. { Before the Sago. a Root of the Species of orache in this country, see its prep. in ye mater: m. Page 87 very farin: nutr.

Piſa. Pease, farinaceous nourishing, flatulent
Fabæ. Beans, more nourishing, more flatulent
Phaſeoli. French Beans, more nourishing, less flatul. tho' a bitter taste wn recent, easy deprived of it

These may be consid. under ye title of Nucis Oleosæ

Amygdala dulcia. Almonds. approaches to the farin. seeds & like other oily subs. can produce in fact of ye lungs
Avellana. Hasel nut
Cacao. Chocolate, ye English, prep. best. see Page
Caſtanea. Chesnut. the Glandes of the antients, suits during ye p.
Juglans. Walnut, its oil more distinctly separated
Piſtacia. Pistachio Nut. a spec: of Almond, most agreeable. rich, nourish. meat

g. Might be referred to a Condimenti —
Olivæ. Olives accomp. with Bitterness, somet. Disagreeable see its Dis. p.

h.) Aqua. has the same effect as any other drinks see page —
Cereviſia. Ale or fermented Liquors
Vinum. Wine

i. Condimenta
Aromata. such as Cinnamon, mace, Cloves, Ginger & many others used as grateful to ye stom
Saccharo, Sale vel Aceto condita.

2. Ex ANIMALIBUS.

a. Lac Fœminæ. of Women

Lac Aſinæ. Asses milk

Equæ. Mares ——

Vaccæ. Cows ——

Ovis. Sheeps ——

Capræ. Goats ——

b. Mamalia of Lineus. Dr. Cullen Chuses ye Quadrupe

Bos. — Cow

Ovis. — Sheep

Capra. — Goat

Cervus. — Hart

Lepus. Hare & Rabbit

Sus. Sow

c. Aves

Gallus Gallinaceus. Cock, hen, chicken, capon

Meleagris Gallopavo. Turky

Pavo Criſtatus. Peacock

Tetrao Perdix. Partidge

Coturnix. Quail

Lagopus. Alpine

Tetrix.

Urogallus.

Anseres Linei

Anas domeſtica. common Duck

moſchata. muscovy Duck

Boſchus major. *wild Duck.*
Querquedula. *Tail*
Anſer domeſticus. *Tame Goose*
ferus. *wild D°*
Cygnus. *Swan*
Pelecanus Baſſanus. *Solon goose*
Alca torda. *Rasor Bill*
Grallæ Linnei, from there long legs —
Ardea. *Heron or Billem*
Scolopax. *Woodcock, snipe, & Corlew*
Tringa. *Lapwing, another spec: of ye greyplover*
Charadrius. *Green Plover*
Hœmatopus. *Sea Pye*
Fulica. *The Coot*
Rallus. *Rail, or corn craik*
Otis. *Bustard — —*
Passeres
Columba. *Pidgeon*
Alauda. *Lark*
Turdus. *Thrush*
Emberiza. *Yellow Hammer*
Nomina Trivialia Piscium
Salmo Salar. *Salmond*
trutta. *Trout, call'd Trutta fluvialilis*
hucho. *Bull Trout; or Loch levin*
alpinus. *Charm*
eperlanus. *Spirlin*

Salmo

Salmo thymallus. a grayling, or Umber

Cyprinus barbus. Barble

carpio. Carp

gobio. Gudgeon

tinca. Tench

cæphalus. Chub

rutilus. Roch. (inhabits the fishponds of this country only —

alburnus. Blaik

brama. Bream

Perca fluviatilis. Perch

Gadus æglefinus. Haddock

merlangus. whiting

morhua. Ling

molva, Cod

virens. green Back

callarias. Codlin —

Cyclopterus lumpus. Lump, Sea owl, cock paddle

Scomber ſcombrus. Macrel

thynnus. Spanish macerel

Trigla cuculus. Gurnard

Mugil. Mullet

Eſox lucius. Pike

Clupea harengus. common Herring

ſprattus. Spratt

encraſicolus. anchova

aloſa. Shad. (called by willoughby the mother of the Herring —

Pleuronectus fleſus. *common Fluke*
ſolea. *Soal Fluke*
plateſſa. *Plaise*
maximus. *Turbut*
hippogloſſus, *Holibut*

Ammodytes. *Sand-eels*
Muræna anguilla. *Hourenie-eel*
conger, *conger-eel*
Anarrhichas.
Squalus ——
canis catnarius
Petromyzon. *Lampereel*
Raia batis. *Skate*
Accipenſer Sturio. *Sturgion*

Amphibia

Insecta

Cancer pagurus. *Crab*
gammarus. *Lobster*
ſquilla. *Shrimp*

Vermes

Sepia loligo. *Hocking fish, scuttle Fish*

Patella vulgata. *Limpid, or Papshell*
Helix pomatia. *Garden Snail*
Buccinum undatum. *wilk, Buckey*
Turbo littoreus. *Periwinkle, acubines, Blackwilk*
Solen Siliqua. *Spouts, razor sheath*
Cardium edule. *common cockle*

Car-

Cardium echinatum. Picklie Cock
Venus Chione.
Oſtrea maxima. Scallop or Clam
edulis. Oister
Mytulus edulis. muscle

Volucrum Ova, Eggs of Birds —
Ovan

II. AD-

II. ADSTRINGENTIA.

1. Ex FOSSIBILIBUS.

Bolus. Bole
Cimolia. Clays
Oſteocolla. absorbent calcarious concretion

Alumen. Alumn M. M. p. 198
Lapis Hybernicus. Irish Sclate m.m. p. 200

Cuprum. Copper m.m. p. 201
Ærugo. Verdigrease
Vitriolum cæruleum. Blue vitriol
(the descrip. all the same)

Ferrum. Iron
Hæmatites. Blood stones
Rubrica fabrilis.
Vitriolum viride. Green vitriol

Plumbum. Lead
Ceruſſa. ceruse
Lithargyrus. Lytharge
Minium. Red Lead

Zincum. Zinc

Cala-

Calaminaris Lapis. *calamine*
Tutia. *Tutty*
Vitriolum Album. *white vitriol*

2. Ex VEGETABILIBUS.

a. *Senticosæ* *according to Linnæus fragmenta methodi naturalis.*
h Agrimonia. *Agrimony*
r. h Alchimilla. *Lady's mantle*
Argentina. ~~*Silver weed*~~ *wild Tansie*
Caryophyllata. *Avens*
Fragaria. *Strawberries*
Quinque folium. *Tormentill lesser,*
Roſa. *Rose*
r Tormentilla. *Tormentill*
b. *Stellata*
Aparine. *Cleavers or goose grass*
Gallium. *Cheese Rening*
Rubia. *Madder*
c. *Vaginales*
r Acetoſa. *Sorrels*
Hydrolapathum. *water dock*
Oxylapathum. *Sharp pointed dock.*
r Biſtorta. *Bistort or Snakeweed*
r Rheum. *Rhubarb, (also Rhapontic: ormonks)*
d. *Filices*
Filix florida. *Osmund Royal*

Lingua

Lingua cervina. Harts-tongue
Trichomanes. English Black maiden hair

Muſcus. Pixidatus, arboreus, Pulmonarius —

e. Acid austera, or (more properly) Acerba
Cydonea mala. Quince-tree
Meſpila. Medlar
Mora. Mulberry tree
Pruna Sylveſtria. Sloe, or Black thorn —
Sorba. Service tree

f. Herba asperifolia {a various miscellanious set
Anchuſa. Alkanet
Balauſtia. Balaustines
Brunella. Self-heal
Hypericum. St. Johns wort
Lythrum. —
Millefolium. Yarrow
Myrtus. common Myrtle
Plantago. Plantain
Polygonatum. Solomons seal
Sanicula. Sanicle
Sedum. House leek
Viſcus Quernus. Missletoe of ye. oak
Urtica. common stinging nettle
Uva Urſi. Bears-Grape —

Acacia. *succ. gum.*
Catechu.
Hypociſtis.
Sanguis Draconis.

Cortex Granatorum.
Fraxini.
Quercus.
Simaroubæ.

Lignum Campechenſe.

Gallæ.

3. *Acida* I. 1. a. XI. 1. 2.
Vina Auſtera.
Amara IV. i.
Sedativa.
Balſamica IV. f.

III. EMOLLIENTIA.

1. Aqua et aquoſa blanda.

2. Ex VEGETABILIBUS.

a.

Althæa.
Malva. IX a

b.

Farinoſa I. i.
Sem. Cannabis.
Cydoneorum.
Fænugræci.
Lini.
Pſyllii.

c.

Atriplex.
Beta.
Bonus Henricus.
Spinacia.

d.

Alſine.
Branca urſina.
Melilotus.
Parietaria.

Sapo-

Saponaria.
Verbaſcum.
Rad. Liliorum alborum.
Cepæ coſta.

c.

Olea preſſa blanda.

3. Ex ANIMALIBUS.

Lac
Butyrum.
Adeps.
Axungia.
Sperma Cæti dictum.

IV. STI

IV. STIMULANTIA.

1. Ex VEGETABILIBUS.

a.

Betonica.
Lavendula.
Stæchas Arabica.
Meliſſa.
Calamintha.
Majorana.
Marum Vulgare.
Origanum.
Dictamnus Creticus
Roſmarinus.

Hyſſopus.
Hedera terreſtris.
Pulegium.

Mentha Sativa.
piperitis.
Nepeta.

Marum Syriacum.

Satureia.
Serpyllum.
Thymus.

Salvia.
Chamædrys.
Scordium.

b.

Ammi.
Amomum.
Anethum.
Angelica.
Aniſum.
Carum.
Coriandrum.
Cuminum.
Daucus Creticus
Fæniculum.
Hippoſelinum.
Leviſticum.
Pimpinella Saxifraga
Seſeli Maſſilienſe.
Siler Montanum.

c.

Alliaria.
Cochlearia.

Eruca.

Eruca.

Eryſimum.

Lepidium.

Naſturtium.

Napum.

Raphanus ruſticanus.

Sinapi.

Thlaſpi.

Alliacia

Allium.

Cepa.

Porrum.

Coniferæ

Abies.

Pinus.

Juniperus. sabina

Balsamica

Terebinthina.

Balſ. Copaibæ.

Gileadenſe.

Peruvianum.

Tolutanum.

Benzoin

Gum. Guaiacum.

Myrrha.

Styrax Liquida.

Guai-

g.

Guaiacum.

Saſſafras.

Santalum.

China.

Contrayerva.

Sarſaparilla.

h.

Cinnamomum.

Caſſia lignea.

Macis.

Nux moſchata.

Caryophylli.

Pimento.

Canella Alba. *Acorus verus*

Cort. Winteranus.

Zinziber.

Piper.

Capſicum.

Cubebæ.

Cardamomum minus.

Grana Paradiſi.

Galan

Galanga.
Zedoaria.
Serpentaria Virg.

Balſamita.
Coſtus orientalis.
Ginſeng.
Lilium convallium.
Malabrathum.
Nardus Celtica.
Indica.
Caſcarilla.

Aſpalathus.
Rhodium.

Benzoinum.
Labdanum.
Styrax calamita.

Abrotanum fœmina.
mas.
Abſinthium Romanum.
vulgare.
Artemiſia.
Carduus benedictus.

Carlina.
Chamæmelum.
Santonicum.
Tanacetum.

Aurantiorum Cortex.
Aurantia Curaſſavenſia.
Limoniorum Cortex.

Centaurium Minus.
Gentiana.

China Chinæ.
Acorus verus.
Chamæpitys. with the teucrium cha
Marrubium album. with the verticillat
Dictamnus albus.
Lupulus.
Trifolium paluſtre.

k.

Cichorium.
Dens Leonis.
Endivia.
Lactuca.

Fumaria.

l.

Arum.
Euphorbium. ×
Imperatoria.
Iris noſtras. ×
Perſicaria urens.
Pyrethrum.
Sedum minus acre. ×
Staphiſagria. ×

m.

Vinum.

n.

Olea eſſentialia.

3. Ex ANIMALIBUS.

Cantharides.
Millepedæ.
Cochinillæ.

4. *Nutrientia.*
Adſtringentia.
Sedativa.
Antiſpaſmodica.
Acida I. 1. a. XI. 1. 2.
Alkalina X. b.
Sales neutri.

V. SEDATIVA.

1.

a.

Papaver.

b.

Cicuta.

Cicuta aquatica.

c. *Oenanthe crocata*

Belladonna.

Hyoſcyamus.

Mandragora.

Nicotiana. *taba cum Linn*

Solanum.

Stramonium.

d.

Lactuca. *Padus Lauro cerasus*

Laurus.

Coffea.

Thea.

Crocus.

Nymphæa.

e.

Vinum.

Alcohol.

2. *Acid*

2. *Acida* I. 1. a. XI. 1. 2.
Sales neutri.
Emollientia.
Adſtringentia.
Antiſpaſmodica.

VI. AN-

VI. ANTISPASMODICA.

1. Ex FOSSILIBUS.

Ambragriſea.
Succinum.
Petroleum.

2. Ex VEGETABILIBUS.

a.

Ariſtolochia.
Artemiſia.
Atriplex olida.
Cardiaca.
Cuminum.
Leviſticum.
Meum.
Matricaria.
Pulegium.
Ruta.
Sabina.

b.

Aſa fætida.
Ammoniacum.
Galbanum.
Opopanax.

Sagapenum.
Tacamahaca.

Camphora. Camphor from Campre

Caſſumuniar.
Pæonia.
Valeriana ſylveſtris.

Fuligo ligni.

Olea eſſentialia.
empyreumatica.

g.
Alcohol.
Liquor Æthereus.

Ex ANIMALIBUS.

Moſchus.
Zibethum.

Caſtoreum.

Sales alkalini volatiles.

Olea

Olea empyreumatica,

4. *Adſtringentia.*

Emollientia.

Demulcentia.

Stimulantia.

Sedativa.

VII. ATTENUANTIA.

Aqua.
Alkalina X. b.
Sales neutri.
Sapones.
Dulcia IX. c.
Nutrientia 1. a. b. c. d.
Emollientia 2. c. d.

VIII. INSPISSANTIA.

Acida XI. 2.
Alcohol.
Nutrientia 1. e. f. 2. b. *&c.*
Adſtringentia.
Demulcentia a. b. d.

IX. DEMULCENTIA.

a.

Conſolida major.
Cynogloſſum.
Pulmonaria.

b.

Sem. Cucurbitæ.
Citrulli.
Cucumeris.
Melonis.

Papaveris.

c.

Saccharum.
Mel.
Uvæ paſſæ.
Dactyli.
Ficus.
Cynoſbatos.
Glycyrrhiza.

Gum. Arabicum.
Ceraſorum.
Senega.
Tragacantha.

Amylum.

Amylum.
Ichthyocolla.

e.

Nutrientia.
Emollientia.
Sedativa.

X. ANTACIDA.

a.

Calcarius lapis.
Creta.
Oſteocolla.

Cancrorum chelæ.
oculi dicti.
Cervi Cornu uſtum.
Corallina.
Corallium rubrum.
Lapis Bezoar orientalis.
Margaritæ.
Ovorum teſtæ.
Oſtreorum teſtæ.
Sepiæ os.

b.

Alkali fixum vegetabile.
foſſile.
Calx Viva.
Alkali volatile.

c.

Borax.
Tartarus Solubilis.

Sapo.

d.

Stimulantia.
Sedativa.
Antiſpaſmodica.
Demulcentia.

XI. A

XI. ANTALKALINA.

Acetoſa.
Acetoſella. seu Lujula Oxalis acetosella
Berberis.
Ribeſia.
Tamarindi.
Succus Aurantiorum.
Limoniorum.

Vinum.
Acidum vegetabile.
muriaticum.
nitroſum.
vitriolicum.
Sal Sedativum.
Succini.
Nutrientia a. b. c. d. e. g.
Aſtringentia 2. c.
Demulcentia.

XII. ANTISEPTICA.

Acida I. a. II. e. XI. 1. 2.
Alkalina X. b.
Sales neutri.
metallici.
terreſtres.
Olea eſſentialia.
empyreumatica.
Vinum.
Alcohol.
Nutrientia 1.
Adſtringentia.
Stimulantia.
Sedativa.
Antiſpaſmodica.

XIII. E R R H I N A.

Beta.
Betonica.
Majorana.

Aſarum.
Euphorbium.
Helleborus albus.
Iris noſtras.
Nicotiana.
Ptarmica.
Pyrethrum.

Turbith minerale.

XIV. SIALAGOGA.

Angelica.
Caryophylli.
Imperatoria.
Nicotiana.
Piper.
Pyrethrum.

Hydrargyrus.

XV. EXPECTORANTIA.

Hedera terreſtris.
Hyſſopus.
Marr bium.
Pulegium.
Enula campana.
Iris Florentina.
Nicotiana.
Scilla.
Petaſites.
Tuſſilago.
Benzoinum.
Styrax calamita.
Pix liquida.
Sapo.
Stimulantia b. c. d. f.
Antiſpaſmodica 2. b.
Demulcentia c.

XVI. EMETICA.

1. Ex FOSSILIBUS.

Cuprum.
Hydrargyrus.
Antimonium.
Zincum.

2. Ex VEGETABILIBUS.

Aſarum.
Erigerum.
Ipecacuanha. Triosteum Ph. M. latter.
Nicotiana.
Scilla.
Sinapi.
Raphanus ruſticanus.
Amara IV. i.
Cathartica.

XVII. CATHARTICA.

Fructus acido-dulces I. 1. a.
Pruna Brignolenſia.
Gallica.
Caſſia fiſtularis.
Tamarindi.

Saccharum.
Mel.
Manna.

Aqua.
Serum Lactis.
Lac ebutyratum.

Olera blanda I. 1. c. d.

Olea blanda ex Vegetabilibus et Animalibus.
Sapo albus Hiſpanus.
Roſæ Damaſcenæ.
Viola.
Polypodium.
Sinapi.

Sulphur.

Sulphur.

Amara IV. i. k. VI. 2 I. a.
Bilis Animalium.
Balſamica IV. f.

Tartarus.
Alkalina fixa.
Sales neutri.
Magneſia alba.

Antiſpaſmodica 2. b.
Aloe.
Agaricus.
Rhabarbarum.
Seneka.
Geniſta.
Senna.
Helleborus niger.
Mechoacanna.
Turpethum.
Jalapium.
Scammonium.
Soldanella.
Arthanita. – Cyclamen europaeum.

Ebulu

Ebulus.
Sambucus.
Rhamni baccæ.
Frangulæ cortex.
Linum Catharticum.
Chelidonium majus. × vix recenseri meretur inter purgantes
Gambogia.
Mercurialis. × inter emollientia
Ricinus.
Gratiola.
Nicotiana.
Helleborus albus.
Colocynthis.
Cucumis aſininus. Elaterium
Elaterium.

Aurum.
Argentum.
Hydrargyrus.
Antimonium.

Emetica.

XVIII. DIURETICA.

a.

Apium.
Petroſelinum.
Chærefolium.
Daucus Sylveſtris.
Fæniculum.
Meum.
Pimpinella Saxifraga.
Siler montanum.
Eryngium.

b.

Aparine.
Aſperula.
Rubia.

c.

Alkekengi.
Arnica.
Arum.
Aſarum.
Aſparagus.
Abſinthium.
Carduus benedictus.
Bardana.

Dulcamara.
Enula.
Geniſta.
Gramen.
Linaria.
Lithoſpermum.
Ononis.
Pareira brava. Smilax nota Cissampelos Ph. M.
Perſicaria urens.
Ruta.
Sabina.
Saxifraga alba.
Seneka.
Scilla.

Acida I. 1. a. XI. 1. 2.
Alkalina X. b.
Sales neutri.
Antacida a.
Sal Ammoniacum fixum.
Sapo.
Olera I. 1. c. e.
Emollientia 1. 2. c. d.
Stimulantia 1. b. c. d. e. f. k. 2.

XIX. DIAPHORETICA.

Angelica.
Calendula.
Crocus.
Dulcamara.
Opium.
Ambragriſea.
Moſchus.
Zibethum.
Camphora.
China.
Contrayerva.
Serpentaria Virg.
Guaiacum.
Saſſafras.
Sarſaparilla.
Seneka.
Salvia.
Scordium.

Antimonium.
Hydrargyrus.

Aqua.

Vinum.
Acida Vegetabilia.
Alkali volatile.
Sales neutri.
Olea Eſſentialia.
Empyreumatica.
Stimulantia.
Sedativa.
Antiſpaſmodica.
Antacida a.
Emetica.
Cathartica.
Diuretica.

XX. MENAGOGA.

Aloe.
Caſtoreum.
Crocus.
Ferrum.
Hydrargyrus.
Stimulantia.
Antiſpaſmodica 1. 2. a. b.
Emetica.
Cathartica.
Diuretica.

4. 5. 5

J. Home